

RECEIVED

DEC 19 2002

TECH CENTER 1600/2900



ENTERED

1600

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/730,379F

DATE: 12/10/2002

TIME: 15:52:59

Input Set : A:\EP.txt

Output Set: N:\CRF4\12102002\I730379F.raw

#  
23

3 <110> APPLICANT: Cornell Research Foundation, Inc.  
 5 <120> TITLE OF INVENTION: THROMBOSPONDIN-BINDING REGION OF HISTIDINE-RICH GLYCOPROTEIN  
 AND METHODS  
 6 OF USE  
 8 <130> FILE REFERENCE: Docket 955-7P/CON  
 10 <140> CURRENT APPLICATION NUMBER: 09/730,379F  
 11 <141> CURRENT FILING DATE: 2000-12-05  
 13 <150> PRIOR APPLICATION NUMBER: US 60/169,205  
 14 <151> PRIOR FILING DATE: 1999-12-06  
 16 <160> NUMBER OF SEQ ID NOS: 19  
 18 <170> SOFTWARE: PatentIn version 3.1  
 20 <210> SEQ ID NO: 1  
 21 <211> LENGTH: 75  
 22 <212> TYPE: PRT  
 23 <213> ORGANISM: Homo sapiens  
 25 <300> PUBLICATION INFORMATION:  
 26 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.  
 27 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from the  
 28 nucleotide sequence of its cDNA  
 29 <303> JOURNAL: Biochemistry  
 30 <304> VOLUME: 25  
 31 <305> ISSUE: 8  
 32 <306> PAGES: 2220-2225  
 33 <307> DATE: 1986-04-22  
 34 <308> DATABASE ACCESSION NO: GenBank/P04196  
 35 <309> DATABASE ENTRY DATE: 1987-03-20  
 37 <400> SEQUENCE: 1  
 39 Gly Pro Arg Pro Phe His Cys Arg Gln Ile Gly Ser Val Tyr Arg Leu  
 40 1 5 10 15  
 43 Pro Pro Leu Arg Lys Gly Glu Val Leu Pro Leu Pro Glu Ala Asn Phe  
 44 20 25 30  
 47 Pro Ser Phe Pro Leu Pro His His Lys His Pro Leu Lys Pro Asp Asn  
 48 35 40 45  
 51 Gln Pro Phe Pro Gln Ser Val Ser Glu Ser Cys Pro Gly Lys Phe Lys  
 52 50 55 60  
 55 Ser Gly Phe Pro Gln Val Ser Met Phe Phe Thr  
 56 65 70 75  
 59 <210> SEQ ID NO: 2  
 60 <211> LENGTH: 58  
 61 <212> TYPE: PRT  
 62 <213> ORGANISM: Homo sapiens  
 64 <300> PUBLICATION INFORMATION:  
 65 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.  
 66 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from the

## RAW SEQUENCE LISTING

DATE: 12/10/2002

PATENT APPLICATION: US/09/730,379F

TIME: 15:52:59

Input Set : A:\EP.txt

Output Set: N:\CRF4\12102002\I730379F.raw

67 nucleotide sequence of its cDNA  
68 <303> JOURNAL: Biochemistry  
69 <304> VOLUME: 25  
70 <305> ISSUE: 8  
71 <306> PAGES: 2220-2225  
72 <307> DATE: 1986-04-22  
73 <308> DATABASE ACCESSION NO: GenBank/P04196  
74 <309> DATABASE ENTRY DATE: 1987-03-20  
76 <400> SEQUENCE: 2  
78 Ala Ser Phe Arg Val Asp Arg Ile Glu Arg Val Ala Arg Val Arg Gly  
79 1 5 10 15  
82 Gly Glu Gly Thr Tyr Phe Val Asp Phe Ser Val Arg Asn Cys Pro Arg  
83 20 25 30  
86 His His Phe Pro Arg His Pro Asn Val Phe Gly Phe Cys Arg Ala Asp  
87 35 40 45  
90 Leu Phe Tyr Asp Val Glu Ala Leu Asp Leu  
91 50 55  
94 <210> SEQ ID NO: 3  
95 <211> LENGTH: 9  
96 <212> TYPE: PRT  
97 <213> ORGANISM: Homo sapiens  
99 <300> PUBLICATION INFORMATION:  
100 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.  
101 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from  
the  
102 nucleotide sequence of its cDNA  
103 <303> JOURNAL: Biochemistry  
104 <304> VOLUME: 25  
105 <305> ISSUE: 8  
106 <306> PAGES: 2220-2225  
107 <307> DATE: 1986-04-22  
108 <308> DATABASE ACCESSION NO: GenBank/P04196  
109 <309> DATABASE ENTRY DATE: 1987-03-20  
111 <400> SEQUENCE: 3  
113 Gly Pro Arg Pro Phe His Cys Arg Gln  
114 1 5  
117 <210> SEQ ID NO: 4  
118 <211> LENGTH: 29  
119 <212> TYPE: PRT  
120 <213> ORGANISM: Homo sapiens  
122 <300> PUBLICATION INFORMATION:  
123 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.  
124 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from  
the  
125 nucleotide sequence of its cDNA  
126 <303> JOURNAL: Biochemistry  
127 <304> VOLUME: 25  
128 <305> ISSUE: 8  
129 <306> PAGES: 2220-2225  
130 <307> DATE: 1986-04-22  
131 <308> DATABASE ACCESSION NO: GenBank/04196

## RAW SEQUENCE LISTING

DATE: 12/10/2002

PATENT APPLICATION: US/09/730,379F

TIME: 15:52:59

Input Set : A:\EP.txt

Output Set: N:\CRF4\12102002\I730379F.raw

132 &lt;309&gt; DATABASE ENTRY DATE: 1987-03-20

134 &lt;400&gt; SEQUENCE: 4

136 Ile Gly Ser Val Tyr Arg Leu Pro Pro Leu Arg Lys Gly Glu Val Leu

137 1 5 10 15

140 Pro Leu Pro Glu Ala Asn Phe Pro Ser Phe Pro Leu Pro

141 20 25

144 &lt;210&gt; SEQ ID NO: 5

145 &lt;211&gt; LENGTH: 29

146 &lt;212&gt; TYPE: PRT

147 &lt;213&gt; ORGANISM: Homo sapiens

149 &lt;300&gt; PUBLICATION INFORMATION:

150 &lt;301&gt; AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.

151 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from  
the

152 nucleotide sequence of its cDNA

153 &lt;303&gt; JOURNAL: Biochemistry

154 &lt;304&gt; VOLUME: 25

155 &lt;305&gt; ISSUE: 8

156 &lt;306&gt; PAGES: 2220-2225

157 &lt;307&gt; DATE: 1986-04-22

158 &lt;308&gt; DATABASE ACCESSION NO: GenBank/P04196

159 &lt;309&gt; DATABASE ENTRY DATE: 1987-03-20

161 &lt;400&gt; SEQUENCE: 5

163 Asp Asn Gln Pro Phe Pro Gln Ser Val Ser Glu Ser Cys Pro Gly Lys

164 1 5 10 15

167 Phe Lys Ser Gly Phe Pro Gln Val Ser Met Phe Phe Thr

168 20 25

171 &lt;210&gt; SEQ ID NO: 6

172 &lt;211&gt; LENGTH: 7

173 &lt;212&gt; TYPE: PRT

174 &lt;213&gt; ORGANISM: Homo sapiens

176 &lt;300&gt; PUBLICATION INFORMATION:

177 &lt;301&gt; AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.

178 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from  
the

179 nucleotide sequence of its cDNA

180 &lt;303&gt; JOURNAL: Biochemistry

181 &lt;304&gt; VOLUME: 25

182 &lt;305&gt; ISSUE: 8

183 &lt;306&gt; PAGES: 2220-2225

184 &lt;307&gt; DATE: 1986-04-22

185 &lt;308&gt; DATABASE ACCESSION NO: GenBank/P04196

186 &lt;309&gt; DATABASE ENTRY DATE: 1987-03-20

188 &lt;400&gt; SEQUENCE: 6

190 Ala Ser Phe Arg Val Asp Arg

191 1 5

194 &lt;210&gt; SEQ ID NO: 7

195 &lt;211&gt; LENGTH: 21

196 &lt;212&gt; TYPE: PRT

197 &lt;213&gt; ORGANISM: Homo sapiens

199 &lt;300&gt; PUBLICATION INFORMATION:

## RAW SEQUENCE LISTING

DATE: 12/10/2002

PATENT APPLICATION: US/09/730,379F

TIME: 15:52:59

Input Set : A:\EP.txt

Output Set: N:\CRF4\12102002\I730379F.raw

200 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.  
 201 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from  
 the  
 202 nucleotide sequence of its cDNA  
 203 <303> JOURNAL: Biochemistry  
 204 <304> VOLUME: 25  
 205 <305> ISSUE: 8  
 206 <306> PAGES: 2220-2225  
 207 <307> DATE: 1986-04-22  
 208 <308> DATABASE ACCESSION NO: GenBank/P04196  
 209 <309> DATABASE ENTRY DATE: 1987-03-20  
 211 <400> SEQUENCE: 7  
 213 Ile Glu Arg Val Ala Arg Val Arg Gly Gly Glu Gly Thr Tyr Phe Val  
 214 1 5 10 15  
 217 Asp Phe Ser Val Arg  
 218 20  
 221 <210> SEQ ID NO: 8  
 222 <211> LENGTH: 30  
 223 <212> TYPE: PRT  
 224 <213> ORGANISM: Homo sapiens  
 226 <300> PUBLICATION INFORMATION:  
 227 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.  
 228 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from  
 the  
 229 nucleotide sequence of its cDNA  
 230 <303> JOURNAL: Biochemistry  
 231 <304> VOLUME: 25  
 232 <305> ISSUE: 8  
 233 <306> PAGES: 2220-2225  
 234 <307> DATE: 1986-04-22  
 235 <308> DATABASE ACCESSION NO: GenBank/P04196  
 236 <309> DATABASE ENTRY DATE: 1987-03-20  
 238 <400> SEQUENCE: 8  
 240 Asn Cys Pro Arg His His Phe Pro Arg His Pro Asn Val Phe Gly Phe  
 241 1 5 10 15  
 244 Cys Arg Ala Asp Leu Phe Tyr Asp Val Glu Ala Leu Asp Leu  
 245 20 25 30  
 248 <210> SEQ ID NO: 9  
 249 <211> LENGTH: 38  
 250 <212> TYPE: PRT  
 251 <213> ORGANISM: Homo sapiens  
 253 <300> PUBLICATION INFORMATION:  
 254 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.  
 255 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from  
 the  
 256 nucleotide sequence of its cDNA  
 257 <303> JOURNAL: Biochemistry  
 258 <304> VOLUME: 25  
 259 <305> ISSUE: 8  
 260 <306> PAGES: 2220-2225  
 261 <307> DATE: 1986-04-22  
 262 <308> DATABASE ACCESSION NO: GenBank/P04196

## RAW SEQUENCE LISTING

DATE: 12/10/2002

PATENT APPLICATION: US/09/730,379F

TIME: 15:52:59

Input Set : A:\EP.txt

Output Set: N:\CRF4\12102002\I730379F.raw

263 <309> DATABASE ENTRY DATE: 1987-03-20  
 265 <400> SEQUENCE: 9  
 267 Gly Pro Arg Pro Phe His Cys Arg Gln Ile Gly Ser Val Tyr Arg Leu  
 268 1 5 10 15  
 271 Pro Pro Leu Arg Lys Gly Glu Val Leu Pro Leu Pro Glu Ala Asn Phe  
 272 20 25 30  
 275 Pro Ser Phe Pro Leu Pro  
 276 35  
 279 <210> SEQ ID NO: 10  
 280 <211> LENGTH: 28  
 281 <212> TYPE: PRT  
 282 <213> ORGANISM: Homo sapiens  
 284 <300> PUBLICATION INFORMATION:  
 285 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.  
 286 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from  
 the  
 287 nucleotide sequence of its cDNA  
 288 <303> JOURNAL: Biochemistry  
 289 <304> VOLUME: 25  
 290 <305> ISSUE: 8  
 291 <306> PAGES: 2220-2225  
 292 <307> DATE: 1986-04-22  
 293 <308> DATABASE ACCESSION NO: GenBank/P04196  
 294 <309> DATABASE ENTRY DATE: 1987-03-20  
 296 <400> SEQUENCE: 10  
 298 Ala Ser Phe Arg Val Asp Arg Ile Glu Arg Val Ala Arg Val Arg Gly  
 299 1 5 10 15  
 302 Gly Glu Gly Thr Tyr Phe Val Asp Phe Ser Val Arg  
 303 20 25  
 306 <210> SEQ ID NO: 11  
 307 <211> LENGTH: 51  
 308 <212> TYPE: PRT  
 309 <213> ORGANISM: Homo sapiens  
 311 <300> PUBLICATION INFORMATION:  
 312 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.  
 313 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from  
 the  
 314 nucleotide sequence of its cDNA  
 315 <303> JOURNAL: Biochemistry  
 316 <304> VOLUME: 25  
 317 <305> ISSUE: 8  
 318 <306> PAGES: 2220-2225  
 319 <307> DATE: 1986-04-22  
 320 <308> DATABASE ACCESSION NO: GenBank/P04196  
 321 <309> DATABASE ENTRY DATE: 1987-03-20  
 323 <400> SEQUENCE: 11  
 325 Ile Glu Arg Val Ala Arg Val Arg Gly Gly Glu Gly Thr Tyr Phe Val  
 326 1 5 10 15  
 329 Asp Phe Ser Val Arg Asn Cys Pro Arg His His Phe Pro Arg His Pro  
 330 20 25 30  
 333 Asn Val Phe Gly Phe Cys Arg Ala Asp Leu Phe Tyr Asp Val Glu Ala

RAW SEQUENCE LISTING ERROR SUMMARY  
PATENT APPLICATION: US/09/730,379F

DATE: 12/10/2002  
TIME: 15:53:00

Input Set : A:\EP.txt  
Output Set: N:\CRF4\12102002\I730379F.raw

Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:1; Line(s) 5,27  
Seq#:2; Line(s) 66  
Seq#:3; Line(s) 101  
Seq#:4; Line(s) 124  
Seq#:5; Line(s) 151  
Seq#:6; Line(s) 178  
Seq#:7; Line(s) 201  
Seq#:8; Line(s) 228  
Seq#:9; Line(s) 255  
Seq#:10; Line(s) 286  
Seq#:11; Line(s) 313  
Seq#:12; Line(s) 348  
Seq#:13; Line(s) 383

**VERIFICATION SUMMARY**

DATE: 12/10/2002

PATENT APPLICATION: **US/09/730,379F**

TIME: 15:53:00

Input Set : **A:\EP.txt**

Output Set: **N:\CRF4\12102002\I730379F.raw**